

#### SAFETY DATA SHEET AERIS MOULD PRO

## SECTION 1: IDENTIFICATION

SLETION I. IDLIVIII ICATIC	
PRODUCT NAME:	AERIS MOULD PRO
Uses:	TRIPLE ACTION CLEANER FOR MOULD
Company:	Aeris Environmental Ltd, Level 1, Unit 5 / 26-34 Dunning Ave,
	Rosebery, NSW 2018 AUSTRALIA
	Phone: +61 2 8344 1315 Fax: +61 2 96970944
	Aeris Environmental 11, St. Francis, Triq Ta'Gawdieri San Gwann, SGN1740 Malta
Emergency:	+61 417217473

## SECTION 2: HAZARDS IDENTIFICATION

According to Dangerous goods Regulation (IATA and ADG classification): Not classified

#### According to GHS classification and labelling of chemicals:

- Eye irritation category 2
- Skin irritation category 2
- Aquatic life category 3

### Label elements:

Hazard Pictogram:



<u>Signal word:</u> WARNING

Hazard statements:H315:Causes skin irritationH319:Causes serious eye irritation

Precautionary statements:

SDS-107 Rev1 Aeris Mould Pro.docx

Aeris Environmental Ltd ABN: 19 093 977 336 5/26-34 Dunning Ave, Rosebery NSW, 2018 Tel: +61 2 8344 1315 www.aeris.com.au Page 1 of 5



- P210: Keep away from sparks, open flames and other ignition sources. No smoking.
- P260: Do not breathe mist/vapours/spray.
- P264: Wash hands thoroughly after handling.
- P280: Wear protective gloves/protective clothing/eye protection
- P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P363: Wash contaminated clothing before reuse.
- P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P310: Immediately call a POISON CENTER/doctor.
- P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
- P403: Store in a ventilated place.
- P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

SECTION 3: COMPOSITION	AND INFORM	ATION ON IN	GREDIENTS
Ingredients	CAS Number	% w/w	GHS hazard classification
Ethanol	64-17-5	1 - 2	Flam. Liq. 2;
Benzalkonium chloride	68424-85-1	0.5 – 2	Flam. Liq. 3; acute oral 4; skin 1B; eye damage 1
Hydrogen peroxide	7722-84-1	6.0	Oxidizing liquids, Category 1; Acute toxicity, Category 4; Skin corrosion, Category 1A; Serious eye damage, Category 1; Specific target organ toxicity – single exposure, Category 3; (Respiratory system)
Ingredients determined			· · · · · · ·
not to be hazardous Water	NA 7732-18-5	up to 40 qs100	
SECTION 4: FIRST AID			
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.		
Skin or clothing contact:	IF ON SKIN (or hair): Take off immediately all		

contaminated clothing. Rinse skin with water/shower.

SDS-107 Rev1 Aeris Mould Pro.docx

Aeris Environmental Ltd ABN: 19 093 977 336 5/26-34 Dunning Ave, Rosebery NSW, 2018 Tel: +61 2 8344 1315 www.aeris.com.au Page 2 of 5



Ingestion:

Inhalation:

Immediately rinse mouth with water. If swallowed do NOT induce vomiting. Give water to drink. Seek medical attention if symptoms develop. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Medical attention and special treatment: Treat symptomatically.

#### SECTION 5: FIRE-FIGHTING MEASURES

#### Extinguishing media

Use water spray, alcohol resistant foam, dry chemical, carbon dioxide to extinguish.

Special hazards arising from the substance or mixture:

Hazardous decomposition products may be released during prolonged heating: smoke, carbon monoxide and carbon dioxide.

Advice for firefighters:

Exercise caution when fighting any chemical fire.

#### Protective equipment for firefighters:

Use self- contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self-contained breathing apparatus.

Other information:

Hazardous decomposition products may be released during prolonged heating at temperatures exceeding 100°C - smokes, carbon monoxide and dioxide.

### SECTION 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Wear personnel protective equipment in section 8. Stop and contain the spill for salvage or absorb in inert absorbent materials. Do not let spill flow into the drainage.

### SECTION 7: HANDLING AND STORAGE

- P210: Keep away from sparks, open flames and other ignition sources. No smoking.
- P260: Do not breathe mist/vapours/spray.
- P264: Wash hands thoroughly after handling.
- P280: Wear protective gloves/protective clothing/eye protection
- P403: Store in a ventilated place

### SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

SDS-107 Rev1 Aeris Mould Pro.docx

Aeris Environmental Ltd ABN: 19 093 977 336 5/26-34 Dunning Ave, Rosebery NSW, 2018 Tel: +61 2 8344 1315 www.aeris.com.au



Exposure 1	Limits (	Safe	work	Australia)	):

Name	Cas No	TWA (ppm)	TWA (mg/m3)	STEL (ppm)
Ethyl alcohol	64-17-5	1000	1880	-

STEL (mg/m3)

Personal protective equipment:

P280: Wear protective gloves/protective clothing/eye protection

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Clear to slightly hazy liquid		
Soluble in water.		
0.92 - 1.10		
N Av		
$95 - 100^{\circ}C$		
N Av		
>60°C		
Does not sustain combustion		
4 - 7		

N Av = Not available

SECTION 10: STABILITY AND REACTIVITY	
Chemical stability:	Stable under normal conditions of use.
Conditions to avoid:	Excessive heat.
Incompatible materials:	Strong oxidising agents.
Hazardous decomposition products:	Carbon monoxide and carbon dioxide.
Hazardous reactions:	None assigned.

SECTION 11: TOXICOLOGICAL INFORMATION

Classified according to GHS classification:H315:Causes skin irritationH319Causes serious eye irritation

None of the ingredients are in the IARC list of carcinogens.

## SECTION 12: ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment under normal use conditions. May be harmful to aquatic organisms. Avoid contaminating waterways.

## SECTION 13: DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed. Dispose of the package in a sanitary landfill, or by incineration, if allowed by State and local authorities. If burned, stay out of smoke.

SDS-107 Rev1 Aeris Mould Pro.docx

Aeris Environmental Ltd ABN: 19 093 977 336 5/26-34 Dunning Ave, Rosebery NSW, 2018 Tel: +61 2 8344 1315 www.aeris.com.au



#### SECTION 14: TRANSPORT INFORMATION

#### **Road and Rail Transport**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

#### **Marine Transport**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## SECTION 15: REGULATORY INFORMATION

## **Country/Region Inventory Status**

All components of this material are listed on the AICS, NZIoC, TSCS, DSL, REACH, CSCL.

## SECTION 16: OTHER INFORMATION

Date of SDS revision: 27/04/2022

"The information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet, which involves using the product, or otherwise that in accordance with instructions of use on product packaging is the responsibility of the user. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Aeris Environmental Ltd

END

SDS-107 Rev1 Aeris Mould Pro.docx

Aeris Environmental Ltd ABN: 19 093 977 336 5/26-34 Dunning Ave, Rosebery NSW, 2018 Tel: +61 2 8344 1315 www.aeris.com.au